**Dated** 2020-04-21



Jiangsu Acrel Electric MFG. Co., Ltd.

No. 5, Dongmeng Road, Nanzha Street, Jiangyin, Jiangsu, P. R. China

**Technical Report** 

Contact person: Han Zhonghua

Test object: The submitted samples were received and described by client as:

> **Product name: Meter Product Model:DTSD**

**Tested sample** description:

Client:

Refer to next page(s).

**Test specification:** 2011/65/EU (RoHS) Directive and 2015/863/EU (RoHS amendment) Directive

> Test with reference to EN 62321-1:2013, EN 62321-2:2014, EN 62321-3-1:2014, EN 62321-4:2014, EN 62321-5:2014, EN 62321-6:2015, EN 62321-7-1:2015, EN

62321-7-2:2017 and EN 62321-8:2017.

Test result: Refer to the data listed in following pages

Conclusion: With regard to the data of tested components, the requirements of Directive

2011/65/EU (RoHS) and 2015/863/EU are complied.

Remarks: The tested samples were identified and appointed by client.

The result relates only to the items tested.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn

info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



1. Order

Date of Purchase Order, 1.1 2020-03-25

1.2 **Customer's Reference** 

1.3 **Receipt Date of Test Sample** 2020-03-19

**Date of Testing** 2020-03-19-2020-03-26

### **Location of Testing** TÜV SÜD Certification and Testing (China) Co., Ltd.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



### 2. Description of the tested specimen

Sample No.	Result	Description (Material, colour)	Photograph/Location
01	Pass	Chip resistor, black, CR0603-10k $\Omega$ ( $\pm$ 1%, 100PPM)	33 34 35 36 37 38 39 40 41
02	Pass	Chip capacitor, gray, CC0805X5R10µF/16V(±10%)	36 37 38 39 40 41 42 43
03	Pass	Chip capacitor, brown, 0603- 0.1µF/50V(±10%)	6 37 38 39 40 41 42 43
04	Pass	IC, black, MB85RC16	3 37 38 39 40 41 42 43 44 45 4

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
05	Pass	Pin, silvery, metal	5 37 38 39 40 41 42 43 44 45
06	Pass	SMD crystal, 3225-12MHz(SMD3225-4P 12.000MHz 20pF/±20ppm)	39 40 41 42 43 44 45 46 47 40
07	Pass	Shell, silvery, metal, CD100 µ F/35V(± 20%,105℃)(6.3*7.7)	42 43 44 45 46 47 48 49 50 51 5
08	Pass	Slice, black, plastic	42 43 44 45 46 47 48 49 50 51 5

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



Sample No.	Result	Description (Material, colour)	Photograph/Location
09	Pass	Cushion, black, rubber	42 43 44 45 46 47 48 49 50 51 5
10	Pass	Pin, silvery, metal	42 43 44 45 46 47 48 49 50 51 5
11	Pass	Film, gray	42 43 44 45 46 47 48 49 50 51 5
12	Pass	Patch Bridge, black, DB107S	39 40 41 42 43 44 45 40 47 45 49 50 50

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
13	Pass	Pin, silvery, metal	8 59 40 41 42 43 44 45 48 47 45 49 50 51
14	Pass	IC, black, ISL3152EIBZ-T	0 41 42 43 44 45 46 47 48 49 50 5
15	Pass	Pin, silvery, metal	0 41 42 43 44 45 46 47 48 49 50 5
16	Pass	Chip diode, black, SMAJ5.0A	39 40 41 42 43 44 45 46 47

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
17	Pass	Pin, silvery, metal	39 40 41 42 43 44 45 46 47
18	Pass	Chip diode, black, SS310-SMD	34 35 36 37 38 39 40 41 42 43
19	Pass	Pin, silvery, metal	34 35 36 37 38 39 40 41 42 43
20	Pass	Chip diode, black, SMBJ150A	33 34 35 36 37 38 39 40 41 41

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
21	Pass	Pin, silvery, metal	33 34 35 36 37 38 39 40 41 46
22	Pass	Chip triode, black, SOT-23 8050- SMD(SOT-23 L8050HQLT1G-1.5A)	29 30 31 32 33 34 35 36 37 38
23	Pass	Pin, silvery, metal	29 30 31 32 33 34 35 36 37 38
24	Pass	Magnet, black, metal, PCD0503MT3R3(5.8*5.2*3 3.3μH 2.8A)(±20%)	34 35 36 37 38 39 40 41 42

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
25	Pass	Solder, silvery, alloy	34 35 36 37 38 39 40 41 42
26	Pass	Wire, golden, metal	34 35 36 37 38 39 40 41 42
27	Pass	Chip resistor, black, CR0805- 1k(±1%,100PPM)	1 32 33 34 35 36 37 38 39
28	Pass	Chip resistor, black, CR1206-390k(± 1%, 100PPM)	35 36 37 38 39 40 41 42 43 4

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
29	Pass	IC, black, RN7302	35 36 37 38 39 40 41 42 43 44 4
30	Pass	Pin, silvery, metal	35 36 37 38 39 40 41 42 43 44 4
31	Pass	Chip diode, black, SOT-23 BAV199LT1G	32 33 34 35 36 37 38 39 40 4
32	Pass	Pin, silvery, metal	32 33 34 35 36 37 38 39 40 4

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
33	Pass	Chip inductor, black, L-1210-100uH-40mA-±10%(NL10KT101)	37 38 39 40 41 42 43 44 45 46 A
34	Pass	Inflatable bag, transparent, plastic	
35	Pass	Base, black, plastic	41 42 43 44 45 46 47 48 49 50
36	Pass	Pin, silvery, metal	41 42 43 44 45 46 47 48 49 50

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
37	Pass	Slice, silvery, metal	41 42 43 44 45 46 47 48 49 50
38	Pass	Button, black, plastic	41 42 43 44 45 46 47 48 49 50
39	Pass	Frame, silvery, metal	41 42 43 44 45 46 47 48 49 50
40	Pass	IC, black, STM32F051R8T6	3 44 45 46 47 48 49 50 51 52 53 54

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
41	Pass	Pin, silvery, metal	3 44 45 45 47 48 49 50 51 52 53 54
42	Pass	Glass, transparent, 3.3V-白底黑字-22*28-A(SDH-M12993-HP-4)	39 40 41 42 43 44 45 46 4
43	Pass	Film, transparent black, plastic	36 37 38 38 40 41 42 43 44 45 46 A
44	Pass	Film, white, plastic	36 37 38 39 40 41 42 43 44 45 46 4

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
45	Pass	Film, transparent and dark green, plastic	36 37 38 38 40 41 42 43 44 45 46 A
46	Pass	Pin, silvery, metal	36 37 38 38 40 41 42 43 44 45 46 A
47	Pass	Film, white, plastic, 3V-W-22x26- 01(S2622-1DW)	30 31 32 33 34 35 36 37 38 39 40 4
48	Pass	Plate, white dot transparency, plastic	32 33 34 35 36 37 38 39 40 41 42 49

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



Sample No. Result **Description (Material, colour)** Photograph/Location 49 **Pass** Film, silvery, plastic 50 **Pass** PCB, white, plastic **Pass** 51 Solder, silvery, alloy 52 **Pass** Pin, silvery, metal

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
53	Pass	LED, yellow	34 35 36 37 38 3
54	Pass	IC, black, TL431BCL-SMD(RCR)	35 36 37 38 39 40 4
55	Pass	Pin, silvery, metal	35 36 37 38 39 40 4
56	Pass	IC, black, SPX1117M3-L-3-3/TR	2 33 34 35 36 37 38 39

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
57	Pass	Pin, silvery, metal	2 33 34 35 36 37 38 39
58	Pass	SMD crystal, silvery, metal, 5032 8.192MHz/20PF/±20PPM	6 37 38 39 40 41 42 43
59	Pass	Slice, black, plastic	6 37 38 39 40 41 42 43
60	Pass Thermistor, dark green, MZ11-06A300		3 29 30 31 32 33 34 35 36 3

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
61	Pass	Pin, silvery, metal	3 29 30 31 32 33 34 35 36 3
62	Pass	Shell, yellow, plastic, T-EE13-220V-5V-8V-5(EE13-58-2(5)	31 32 33 34 35 36 37 3
63	Pass	Potting compound, black, plastic	31 32 33 34 35 36 37 3
64	64 Pass Magnet, black, metal		28 29 30 31 32 33 34 35 36 37

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
65	Pass	Internal framework, black, plastic	28 29 30 31 32 33 34 35 <sup>36</sup> 37
66	Pass	Wire jacket, yellow, plastic	28 29 30 31 32 33 34 35 36 37
67	Pass	Adhesive tape, white, plastic	28 29 30 31 32 33 34 36 37
68	Pass	Wire, golden, metal	28 29 20 31 32 33 34 36 36 37

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
69	Pass	Adhesive tape, yellow, plastic	28 29 30 31 32 33 34 35 36 37
70	Pass	Connecting metal parts, silvery, metal, JXP-07-C-E-01(K86-00A(H)	38 39 40 41 42 43 44 45 46
71	Pass	Current transformer enclosure, black, plastic, CT-10A-5mA-A(HCT614H)	3 34 36 37 38 39 41 42 43 44
72	Pass	Wire jacket, black, plastic	25 29 30 32 33 34 35 36 37 38 38 41 28

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
73	Pass	Wire jacket, red, plastic	32 33 34 35 36 37 38 39 40 41 42 4
74	Pass	Wire, golden, metal	3 34 36 37 35 39 41 42 43 44
75	Pass	Internal framework, black, plastic	3 34 36 37 36 39 41 42 43 44
76	Pass	Film, silvery	3 34 36 37 35 39 41 42 43 44

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



Sample No.	Result	Description (Material, colour)	Photograph/Location
77	Pass Internal framework, white, plastic		3 34 36 37 38 39 41 47 43 44
78	Pass	Wire, silvery, metal	3 34 5 36 37 38 39 41 42 43 44
79	Pass	Plug, white, plastic	3 34 36 37 38 39 41 42 43 44
80	Pass	Cover, transparent, plastic, DTSF1352(ADL300)	34 35 36 37 36 39 40 41 A2 43 44 45 90 ft

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
81	Pass	Shell, gray, plastic, KT-7P-S05-K-端子座-C-01	3 34 35 37 38 32 40 11 42 40 44 5 41 0
82	Pass	Shell, gray, plastic, KT-7P-S05-K-下壳体-02	AND THURS WHITE OF OUR OF OUR
83	Pass	Nut, golden, copper alloy	AND THE RULE OF SALES
84	Pass	Bracket, white, plastic, KT-DTSD1352(III) 直接接入-S05-K-04	31 32 33 34 35 36 37 38 39 40 4

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Sample No.	Result	Description (Material, colour)	Photograph/Location
85	Pass	Screw, silvery, metal	2 33 34 35 38 37 38 39 40 41 42 43
86	Pass	Gasket, silvery, metal	2 33 34 35 36 37 38 39 40 41 42 43
87	Pass	Frame, silvery, metal, JXZ-01-C-A-01(K88-00A(H))	32 33 34 35 36 37 36 39 40 41 42 43 4
88	Pass	Screw, silvery, metal	32 33 34 35 36 37 36 39 40 41 42 43 4

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

Dated 2020-04-21



### 3. Test Results

3.1 ED-XRF Spectrometer test for total Cadmium, Chromium, Mercury, Lead and Bromine according to EN 62321-3-1:2014

## Criteria of XRF test results

### Pass:

Because of the nature of the testing procedure (caused by the uncertainty of the used, XRF method), a definite pass is given only if the XRF test score is less than 60% of the respective RoHS limit.

### Inconclusive:

If the XRF test score is between 60% and 150% of the respective RoHS limit, further chemical test on the sample is required.

### Fail:

A definite FAIL is given if the XRF test score is above 150% of the respective RoHS limit

### \*Explanation for RoHS limit

Regarding Chromium and Bromine, the XRF test score shows the total Chromium and the total Bromine, but the RoHS limit of 1000 mg/kg, according to the directive 2011/65/EU, is only for Hexavalent Chromium and Brominated Flame Retardants. Therefore, if the XRF test result for the total Chromium and the total Bromine is more than 600 mg/kg and 300 mg/kg respectively, further analytical tests are necessary to find out the exact amount of Hexavalent Chromium and Brominated Flame Retardants

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

**Disclaimer Measurement Uncertainty:** 

Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn

info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
01	<30	1618***	<30	1757	<30	Inconclusive
02	<30	<30	<30	<30	<30	Pass
03	<30	<30	<30	<30	<30	Pass
04	<30	<30	<30	<30	5044	Inconclusive
05	<30	<30	<30	<30		Pass
06	<30	<30	<30	54	<30	Pass
07	<30	<30	<30	224		Pass
08	<30	<30	<30	<30	<30	Pass
09	<30	<30	<30	48	<30	Pass
10	<30	57	<30	89		Pass
11	<30	<30	<30	<30	<30	Pass
12	<30	88	<30	<30	<30	Pass
13	<30	<30	<30	<30		Pass
14	<30	<30	<30	<30	<30	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
15	<30	<30	<30	<30		Pass
16	<30	152	<30	<30	<30	Pass
17	<30	<30	<30	<30		Pass
18	<30	374	<30	<30	<30	Pass
19	<30	218	<30	<30		Pass
20	<30	96	<30	<30	<30	Pass
21	<30	<30	<30	<30		Pass
22	<30	<30	<30	<30	<30	Pass
23	<30	<30	<30	<30		Pass
24	<30	<30	<30	<30		Pass
25	<30	57	<30	99		Pass
26	<30	49	<30	99		Pass
27	<30	1192***	<30	1951	<30	Inconclusive
28	<30	3071***	<30	3126	<30	Inconclusive
29	<30	<30	<30	<30	<30	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
30	<30	<30	<30	<30		Pass
31	<30	<30	<30	<30	<30	Pass
32	<30	<30	<30	<30		Pass
33	<30	668***	<30	<30	<30	Pass
34	<30	<30	<30	<30	<30	Pass
35	<30	<30	<30	<30	152	Pass
36	45	68	<30	154		Pass
37	41	39	<30	43		Pass
38	<30	<30	<30	<30	<30	Pass
39	<30	63	<30	125		Pass
40	<30	<30	<30	<30	<30	Pass
41	<30	<30	<30	<30		Pass
42	<30	<30	<30	<30		Pass
43	<30	<30	<30	<30	<30	Pass
44	<30	<30	<30	<30	<30	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
45	<30	<30	<30	<30	<30	Pass
46	<30	46	<30	50		Pass
47	<30	<30	<30	<30	<30	Pass
48	<30	<30	<30	<30	<30	Pass
49	<30	<30	<30	<30	<30	Pass
50	<30	<30	<30	32	7560	Inconclusive
51	53	50	<30	45		Pass
52	<30	<30	<30	130		Pass
53	<30	<30	<30	<30	<30	Pass
54	<30	<30	<30	<30	<30	Pass
55	<30	<30	<30	<30		Pass
56	<30	<30	<30	<30	<30	Pass
57	<30	<30	<30	<30		Pass
58	<30	<30	<30	861		Inconclusive
59	<30	<30	<30	175	<30	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
60	<30	504	<30	16053	<30	Inconclusive
61	<30	<30	<30	<30		Pass
62	<30	<30	<30	<30	37227	Inconclusive
63	<30	<30	<30	<30	<30	Pass
64	<30	<30	<30	<30		Pass
65	<30	<30	<30	<30	<30	Pass
66	<30	<30	<30	<30	366	Inconclusive
67	<30	<30	<30	<30	233	Pass
68	<30	<30	<30	39		Pass
69	<30	<30	<30	<30	80	Pass
70	<30	70	<30	<30		Pass
71	<30	<30	<30	<30	30660	Inconclusive
72	<30	<30	<30	<30	<30	Pass
73	<30	<30	<30	<30	<30	Pass
74	<30	<30	<30	83		Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



	TOTAL CADMIUM [mg/kg]	TOTAL LEAD [mg/kg]	TOTAL MERCURY [mg/kg]	TOTAL CHROMIUM [mg/kg]	TOTAL BROMINE [mg/kg]	OVERALL RESULT
ROHS LIMIT	100	1000	1000	1000	1000	
Pass result	< 60	< 600	< 600	< 600	< 300	
Inconclusive result	60 – 150	600 – 1500	600 – 1500	> 600	> 300	
Fail result	> 150	> 1500	> 1500	-	-	
75	<30	<30	<30	33	32382	Inconclusive
76	57	<30	<30	<30	<30	Pass
77	37	<30	<30	<30	35215	Inconclusive
78	<30	84	<30	128		Pass
79	<30	<30	<30	<30	<30	Pass
80	<30	<30	<30	<30	<30	Pass
81	<30	<30	<30	<30	<30	Pass
82	<30	<30	<30	<30	<30	Pass
83	<30	10081**	<30	115		Inconclusive
84	<30	<30	<30	<30	<30	Pass
85	<30	594	<30	145		Pass
86	<30	579	<30	136		Pass
87	<30	48	<30	706		Inconclusive
88	<30	<30	<30	606		Inconclusive

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

### Remark:

- "<" means "less than".
- "mg/kg" denotes "milligram per kilogram".
- With regard to the stoichiometry of Br in PBBs and PBDEs, the lower limit for Br is set at 300 mg/kg.
- " -- " means the substance for this sample are not tested.
- " \*\* " means the result is exempted according to 2011/65/EU ANNEX item 6: Lead as an alloying element in steel containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and as a copper alloy containing up to 4 % lead by weight.
- 6. " \*\*\* " means the result is exempted according to 2011/65/EU ANNEX item 7(c)-I: Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



### 3.2 Wet chemical test

### Main instruments used for wet chemical test

Testing Target	Instrument	Method
Lead & Cadmium	ICP-OES	EN 62321-5:2014
Mercury	ICP-OES	EN 62321-4:2014
Hexavalent Chromium	UV-Vis	EN 62321-7-1:2015 EN 62321-7-2:2017
PBBs & PBDEs	GC/MS	EN62321-6:2015
DEHP, BBP, DBP & DIBP	GC/MS	EN 62321-8:2017

### Criteria of chemical test results

### Pass:

A definite Pass is given If the chemical test result meets the requirements of RoHS.

### Fail:

A definite Fail is given If the chemical test result exceeds the full respective RoHS limit.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn

info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Test Sample	Cadmium [mg/kg]	Lead [mg/kg]	Mercury [mg/kg]	Chromium <sup>#</sup> (VI) [mg/kg]	PBBs (Sum) [mg/kg]	PBDEs (Sum) [mg/kg]	OVERALL RESULT
Limit	100	1000	1000	§	1000	1000	REGOLI
58				Negative			Pass
87				Negative			Pass
88				Negative			Pass

- 1. " -- " means the substance for this sample are not tested.
- 2. "mg/kg" denotes "milligram per kilogram"

3. "§" The Chromium (VI) content in surface layer have been confirmed with reference to EN 62321-7-1:2015

Result	Chromium (VI) concentration	Qualitative result
Negative	<0.1µg/cm²	The sample is negative for Cr(VI). The Cr(VI) concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.
Inconclusive	≥0.1μg/cm² and ≤0.13 μg/cm²	The result is considered to be inconclusive. Unavoidable coating variations may influence the determination. Recommendation: if additional samples are available, perform a total of 3 trials to increase sampling surface area. Use the averaged result of the 3 trails for the final determination.
Positive	>0.13 μg/cm²	The sample is positive for Cr(VI). Concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn

info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



Test Sample	Cadmium [mg/kg]	Lead [mg/kg]	Mercury [mg/kg]	Chromium (VI) [mg/kg]	PBBs (Sum) [mg/kg]	PBDEs (Sum) [mg/kg]	OVERALL RESULT
Limit	100	1000	1000	1000	1000	1000	
01				<5			Pass
04					<50	<50	Pass
27				<5			Pass
28				<5			Pass
50					<50	<50	Pass
60				<5			Pass
62					<50	<50	Pass
66					<50	<50	Pass
71					<50	<50	Pass
75					<50	<50	Pass
77					<50	<50	Pass
83		15338**					Pass

- 1. ND = Not detected (Detected limit of Cd :2mg/kg;Pb, Hg, and Cr(VI):5mg/kg; PBBs and PBDEs: 5mg/kg)
- 2. " mg/kg " denotes " milligram per kilogram ".
- 3. "--" means the substance for this sample are not tested.
- 4. " \*\* " means the result is exempted according to 2011/65/EU ANNEX item 6: Lead as an alloying element in steel containing up to 0.35 % lead by weight, aluminum containing up to 0.4 % lead by weight and as a copper alloy containing up to 4 % lead by weight.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn

info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Test	DEHP	DBP	ВВР	DIBP	
Sample	[mg/kg]	[mg/kg]	[mg/kg]	[mg/kg]	RESULT
Limit	1000	1000	1000	1000	
01+02+03	<200	<200	<200	<200	Pass
04+06+08	<200	<200	<200	<200	Pass
09+11+12	<200	<200	<200	<200	Pass
14+16+18	<200	<200	<200	<200	Pass
20+22+27	<200	<200	<200	<200	Pass
28+29+31	<200	<200	<200	<200	Pass
33+34+35	<200	<200	<200	<200	Pass
38+40	<200	<200	<200	<200	Pass
43+44+45	<200	<200	<200	<200	Pass
47+48+49	<200	<200	<200	<200	Pass
50+53+54	<200	<200	<200	<200	Pass
56+59+60	<200	<200	<200	<200	Pass
62+63+65	<200	<200	<200	<200	Pass
66+67+69	<200	<200	<200	<200	Pass
71+72+73	<200	<200	<200	<200	Pass
75+76+77	<200	<200	<200	<200	Pass
79+80+81	<200	<200	<200	<200	Pass
82+84	<200	<200	<200	<200	Pass

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



### Remark:

- "<" means "less than".
- "mg/kg" denotes "milligram per kilogram".
- DEHP = Di-(2-ethyl-hexyl)phthalate, DBP = Di-butyl phthalate BBP = Butyl-benzyl phthalate, DIBP = Di-iso-butyl phthalate

# TÜV SÜD Certification and Testing (China) Co., Ltd.

Checked by: Prepared by:



Mr. Yiwei CHEN



Mr. Feng ZHANG

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

### **APPENDIX I: Product Model**



### Remark:

1. The report covers material testing on specified samples.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



### **APPENDIX II: Official Exemption Items**

Below items are quoted based on Directives of 2011/65/EU and its valid Amending Directives.

	Exemption	Scope and dates of applicability
1	Mercury in single capped (compact) fluorescent lamps not exceeding (per burner)	
1(a)	For general lighting purpose< 30 W:5mg	Expires on 31 December 2011; 3,5mg maybe used per burner after 31 December 2011 until 31 December 2012; 2.5mg shall be used per burner after 31 December 2012
1(b)	For general lighting purposes ≥ 30 W and < 50 W:5mg	Expires on 31 December 2011; 3,5mg maybe used per burner after 31 December 2011 until 31 December 2012; 2.5mg shall be used per burner after 31 December 2012
1(c)	For general lighting purposes ≥ 50 W and < 150 W:5mg	
1(d)	For general lighting purpose ≥ 30 W and ≥ 150 W:15mg	
1(e)	For general lighting purpose with circular or square structural shape san tube diameter <17mm	No limitation of use until 31 December 2011; 7 mg may be used per burner after 31 December 2011
1(f)	For special purposes:5mg	
2(a)	Mercury in double capped linear fluorescent lamps for general lighting purposes not exceeding (per lamp)	
2(a)(1)	Tri-band phosphor with normal lifetime and a tube diameter < 9 mm (e.g. T2): 5mg	Expires on 31 December 2011; 4mg may be used per lamp after 31 December 2011
2(a)(2)	Tri-band phosphor with normal lifetime and a tube diameter ≥ 9 mm and ≤ 17mm (e.g. T5): 5mg	Expires on 31 December 2011; 3mg may be used per lamp after 31 December 2011
2(a)(3)	Tri-band phosphor with normal lifetime and a tube diameter >17 mm and ≤ 28mm (e.g. T8): 5mg	Expires on 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
2(a)(4)	Tri-band phosphor with normal lifetime and a tube diameter >28mm (e.g. T12): 5mg	Expires on 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
2(a)(5)	Tri-band phosphor with long lifetime(≥25 000h):8mg	Expires on 13 December 2011;5mg may be used per lamp after 31 December 2011
2(b)	Mercury in other fluorescent lamps not exceeding (per lamp):	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	Exemption	Scope and dates of applicability
2(b)(1)	Linear halophosphate lamps with tube >28 mm(e.g.T10 and T12): 10mg	Expires on 13 April 2012
2(b)(2)	Non-linear halophosphate lamps (all diameters):15mg	Expires on 13 April 2016
2(b)(3)	Non-linear tri-band phosphor lamps with tube diameter >17mm (e.g. T9)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
2(b)(4)	Lamps for other general lighting and special purposes (e.g. induction lamps)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
3	Mercury in cold cathode fluorescent lamps and external electrode fluorescent lamps (CCFL and EEFL) for special purposes not exceeding (per lamp)	
3(a)	Short length(≤500mm)	No limitation of use until 31 December 2011; 3,5 mg may be used per lamp after 31 December 2011
3(b)	Medium length (> 500mm and ≤ 1 500mm)	No limitation of use until 31 December 2011; 5 mg may be used per lamp after 31 December 2011
3(c)	Long length (> 1 500mm)	No limitation of use until 31 December 2011; 13 mg may be used per lamp after 31 December 2011
4(a)	Mercury in other low pressure discharge lamps (per lamp)	No limitation of use until 31 December 2011; 15 mg may be used per lamp after 31 December 2011
4(b)	Mercury in High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner) in lamps with improved colour rendering index Ra >60;	
4(b)-I	P≤155 W	No limitation of use until 31 December 2011; 30mg may be used per burner after 31 December 2011
4(b)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(b)-III	P > 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(c)	Mercury in other High Pressure Sodium (vapour) lamps for general lighting purposes not exceeding (per burner)	
4(c)-l	P≤155 W	No limitation of use until 31 December 2011; 30mg may be used per burner after 31 December 2011
4(c)-II	155 W < P ≤ 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	Exemption	Scope and dates of applicability
4(c)-III	P > 405 W	No limitation of use until 31 December 2011; 40mg may be used per burner after 31 December 2011
4(d)	Mercury in High Pressure Mercury (vapour) lamps (HPMV)	Expires on 13 April 2015
4(e)	Mercury in metal halide lamps (MH)	
4(f)	Mercury in other discharge lamps for special purposes not specifically mentioned in this Annex	
4(g)	Mercury in hand crafted luminous discharge tubes used for signs, decorative or architectural and specialist lighting and light-artwork, where the mercury content shall be limited as follows:  (a) 20 mg per electrode pair + 0,3 mg per tube length in cm, but not more than 80 mg, for outdoor applications and indoor applications exposed to temperatures below 20 °C;  (b) 15 mg per electrode pair + 0,24 mg per tube length in cm, but not more than 80 mg, for all other indoor applications.	Expires on 1 December 2018
5(a)	Lead in glass of cathode ray tubes	
5(b)	Lead in glass of fluorescent tubes not exceeding 0,2 % by weight	
6(a)	Lead as an alloying element in steel for machining purposes and in galvanised steel containing up to 0,35 % lead by weight	Expires on:  — 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments;  — 21 July 2023 for category 8 in vitro diagnostic medical devices;  — 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
6(a)-I	Lead as an alloying element in steel for machining purposes containing up to 0,35 % lead by weight and in batch hot dip galvanised steel components containing up to 0,2 % lead by weight	Expires on 21 July 2021 for categories 1-7 and 10.'
6(b)	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight	Expires on:  — 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments,  — 21 July 2023 for category 8 in vitro diagnostic medical devices,  — 21 July 2024 for category 9 industrial monitoring and control instruments, and for

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	Exemption	Scope and dates of applicability
		category 11.
6(b)-I	Lead as an alloying element in aluminium containing up to 0,4 % lead by weight, provided it stems from lead-bearing aluminium scrap recycling	Expires on 21 July 2021 for categories 1-7 and 10.
6(b)-II	Lead as an alloying element in aluminium for machining purposes with a lead content up to 0,4 % by weight	Expires on 18 May 2021 for categories 1-7 and 10.'
6(c)	Copper alloy containing up to 4 % lead by weight	Expires on:  — 21 July 2021 for categories 1-7 and 10,  — 21 July 2021 for categories 8 and 9 other than in vitro diag-nostic medical devices and industrial monitoring and control instruments,  — 21 July 2023 for category 8 in vitro diagnostic medical de-vices,  — 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
7(a)	Lead in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead)	Applies to categories 1-7 and 10 (except applications covered by point 24 of this Annex) and expires on 21 July 2021. For categories 8 and 9 other than in vitro diagnostic medical de-vices and industrial monitoring and control instruments expires on 21 July 2021. For category 8 in vitro diagnostic medical devices expires on 21 July 2023. For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.'
7(b)	Lead in solders for servers, storage and storage array systems, network infrastructure equipment for switching, signalling, transmission, and network management for telecommunications	5.7p.:00 0:12 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
7(c)-l	Electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, e.g. piezoelectronic devices, or in a glass or ceramic matrix compound	Applies to categories 1-7 and 10 (except applications covered under point 34) and expires on 21 July 2021.  For categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments expires on 21 July 2021.  For category 8 in vitro diagnostic medical devices expires on 21 July 2023.  For category 9 industrial monitoring and control instruments, and for category 11 expires on 21 July 2024.
7(c)-II	Lead in dielectric ceramic in capacitors for a rated voltage of 125 V AC or 250 V DC or higher	,

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

Exemption		Scope and dates of applicability
7(c)-III	Lead in dielectric ceramic in capacitors for a rated voltage of less than 125 V AC or 250 V DC	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
7(c)-IV	Lead in PZT based dielectric ceramic materials for capacitors being part of integrated circuits or discrete semiconductors'	
8(a)	Cadmium and its compounds in one shot pellet type thermal cut- offs	Expires on 1 January 2012 and after that date may be used in spare parts for EEE placed on the market before 1 January 2012
8(b)	Cadmium and its compounds in electrical contacts	
9	Hexavalent chromium as an anticorrosion agent of the carbon steel cooling system in absorption refrigerators up to 0,75 % by weight in the cooling solution	
9(b)	Lead in bearing shells and bushes for refrigerant-containing compressors for heating, ventilation, air conditioning and refrigeration (HVACR) applications	
11(a)	Lead used in C-press compliant pin connector systems	May be used in spare parts for EEE placed on the market before 24 September 2010
11(b)	Lead used in other than C-press compliant pin connector systems	Expires on 1 January 2013 and after that date may be used in spare parts for EEE placed on the market before 1 January 2013
12	Lead as a coating material for the thermal conduction module C-ring	May be used in spare parts for EEE placed on the market before 24 September 2010
13(a)	Lead in white glasses used for optical applications	
13(b)	Cadmium and lead in filter glasses and glasses used for reflectance standards	
14	Lead in solders consisting of more than two elements for the connection between the pins and the package of microprocessors with a lead content of more than 80 % and less than 85 % by weight	Expires on 1 January 2011 and after that date may be used in spare parts for EEE placed on the market before 1 January 2011
15	Lead in solders to complete a viable electrical connection between semiconductor die and carrier within integrated circuit flip chip packages	
16	Lead in linear incandescent lamps with silicate coated tubes	Expires on 1 September 2013
17	Lead halide as radiant agent in high intensity discharge (HID) lamps used for professional reprography applications	

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	Exemption	Scope and dates of applicability
18(a)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as speciality lamps for diazoprinting reprography, lithography, insect traps, photochemical and curing processes containing phosphors such as SMS ((Sr,Ba) <sub>2</sub> MgSi <sub>2</sub> O <sub>7</sub> :Pb)	Expires on 1 January 2011
18(b)	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps when used as sun tanning lamps containing phosphors such as BSP(BaSi <sub>2</sub> O <sub>5</sub> :Pb)	Categories 1-7 and 10, Expires on 21 July 2021 Categories 8 and 9 other than in vitro diagnostic medical devices and industrial monitoring and control instruments, Expires on 21 July 2021
		Category 8 in vitro diagnostic medical devices, Expires on 21 July 2023  Category 9 industrial monitoring and control instruments, and for category 11, Expires on 21 July 2024
18(b)-I	Lead as activator in the fluorescent powder (1 % lead by weight or less) of discharge lamps containing phosphors such as BSP (BaSi2O5:Pb) when used in medical phototherapy equipment	Categories 5 and 8, excluding applications covered by entry 34 of Annex IV, Expires on 21 July 2021
19	Lead with PbBiSn-Hg and PbInSn-Hg in specific compositions as main amalgam and with PbSn-Hg as auxiliary amalgam in very compact energy saving lamps (ESL)	Expires on 1 June 2011
20	Lead oxide in glass used for bonding front and rear substrates of flat fluorescent lamps used for Liquid Crystal Displays (LCDs)	Expires on 1 June 2011
21	Lead and cadmium in printing inks for the application of enamels on glasses, such as borosilicate and soda lime glasses	
23	Lead in finishes of fine pitch components other than connectors with a pitch of 0,65 mm and less	May be used in spare parts for EEE placed on the market before 24 September 2010
24	Lead in solders for the soldering to machined through hole discoidal and planar array ceramic multilayer capacitors	Expires on:  — 21 July 2021 for categories 1-7 and 10,  — 21 July 2021 for categories 8 and 9 other than in vitro diagnostic medical devices and industrial moni-toring and control instruments,  — 21 July 2023 for category 8 in vitro diagnostic med-ical devices,  — 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.
25	Lead oxide in surface conduction electron emitter displays (SED) used in structural elements, notably in the seal frit and frit ring	
26	Lead oxide in the glass envelope of black light blue lamps	Expires on 1 June 2011

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	Exemption	Scope and dates of applicability
27	Lead alloys as solder for transducers used in high-powered (designated to operate for several hours at acoustic power levels of 125 dB SPL and above) loudspeakers	Expired on 24 September 2010
29	Lead bound in crystal glass as defined in Annex I (Categories 1, 2, 3 and 4) of Council Directive 69/493/EEC (1)	
30	Cadmium alloys as electrical/mechanical solder joints to electrical conductors located directly on the voice coil in transducers used in high-powered loudspeakers with sound pressure levels of 100 dB (A) and more	
31	Lead in soldering materials in mercury free flat fluorescent lamps (which e.g. are used for liquid crystal displays, design or industrial lighting)	
32	Lead oxide in seal frit used for making window assemblies for Argon and Krypton laser tubes	
33	Lead in solders for the soldering of thin copper wires of 100 um diameter and less in power transformers	
34	Lead in cermet-based trimmer potentiometer elements	Applies to all categories; expires on:  — 21 July 2021 for categories 1-7 and 10,  — 21 July 2021 for categories 8 and 9 other than in vitro diag-nostic medical devices and industrial monitoring and control instruments,  — 21 July 2023 for category 8 in vitro diagnostic medical de-vices,  — 21 July 2024 for category 9 industrial monitoring and control instruments, and for category 11.'
36	Mercury used as a cathode sputtering inhibitor in DC plasma displays with a content up to 30 mg per display	Expired on 1 July 2010
37	Lead in the plating layer of high voltage diodes on the basis of a zinc borate glass body	
38	Cadmium and cadmium oxide in thick film pastes used on aluminium bonded beryllium oxide	
39(a)	Cadmium selenide in downshifting cadmium-based semiconductor nanocrystal quantum dots for use in display lighting applications (< 0,2 µg Cd per mm2 of display screen area)	Expires for all categories on [two years after the publication of the Delegated Directive in the Official Journal]
40	Cadmium in photoresistors for analogue optocouplers applied in professional audio equipment	Expires on 31 December 2013
41	Lead in solders and termination finishes of electrical and electronic components and finishes of printed circuit boards used in ignition modules and other electrical and electronic engine control systems, which for technical reasons must be mounted	Expires on 1 December 2018

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City

**Dated** 2020-04-21



China

	Exemption	Scope and dates of applicability
	directly on or in the crankcase or cylinder of hand-held combustion engines (classes SH:1, SH:2, SH:3 of Directive 97/68/EC of the European Parliament and of the Council.	
42	Lead in bearings and bushes of diesel or gaseous fuel powered internal combustion engines applied in non-road professional use equipment:  - with engine total displacement ≥ 15 litres; or - with engine total displacement < 15 litres and the engine is designed to operate in applications where the time between signal to start and full load is required to be less than 10 seconds; or regular maintenance is typically performed in a harsh and dirty outdoor environment, such as mining, construction, and agriculture applications.	Category 11, excluding applications covered by entry 6(c) of Annex III, Expires on 21 July 2024
43	Bis(2-ethylhexyl) phthalate in rubber components in engine systems, designed for use in equipment that is not intended solely for consumer use and provided that no plasticised material comes into contact with human mucous membranes or into prolonged contact with human mucous membranes or into prolonged contact with human skin and the concentration value of bis(2-ethylhexyl) phthalate does not exceed:  (a) 30 % by weight of the rubber for  (i) gasket coatings;  (ii) solid-rubber gaskets; or  (iii) rubber components included in assemblies of at least three components using electrical, mechanical or hydraulic energy to do work, and attached to the engine.  (b) 10 % by weight of the rubber for rubber-containing components not referred to in point (a).  For the purposes of this entry, "prolonged contact with human skin" means continuous contact of more than 10 minutes duration or intermittent contact over a period of 30 minutes, per day.	Applies to category 11 and expires on 21 July 2024.
44	Lead in solder of sensors, actuators, and engine control units of combustion engines within the scope of Regulation (EU) 2016/1628 of the European Parliament and of the Council (*1), installed in equipment used at fixed positions while in operation which is designed for professionals, but also used by non-professional users	Applies to category 11 and expires on 21 July 2024.

### --END OF REPORT--

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production. For further details, please see testing and certification regulation, chapter A-3.4.

<u>Disclaimer Measurement Uncertainty:</u>
Unless otherwise agreed upon, Pass or Fail verdicts are given base on the measured values without any considerations of measurement uncertainties. Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.

TÜV SÜD Certification and Testing (China) Co., Ltd. 10 Huaxia Road(M), Dongting, Wuxi Jiangsu, 214100, P. R. China

Tel.: +86-510-88203737 Fax: +86-510-88203636 www.tuv-sud.cn

info@tuv-sud.cn

Shanghai Chemical Lab No.1999 Duhui Road Shanghai City